

Cashew Boiler

Key Features:-

1. Compact and superior design.
2. Six month warranty with on-site service support.
3. Models available in 80Kg, 100Kg, 160Kg, 240Kg, 320Kg, 640Kg.
4. It can be used on less wood fire.
5. Easy maintenance.



Konark -50

CASHEW NUT PEELING MACHINE

Key Features:-

- *Production Rate:- 50kg/hour
- *Peeling Clearance:- 95%+
- *Compact and Superior Design.
- *Onsite Service Support
- *Spare Parts easily available.
- *Used Standard Pneumatic Spares.

- *Material Stainless Steel
- *Also Models Available in 100, 200 & 300kg/hour Capacity

Technical Specification:-

- *Height:- 34 Inch
- *Width:- 24 Inch
- *Length:- 84 Inch
- *Net Weight:- 80kg
- *Compressor:- 10HP, Screw Compressor



WhatsApp: 9860908080

Website: www.sairajmachinery.co.in

Leading Manufacturer
Of Cashew Processing Machinery



Leading Manufacturer
Of Cashew Processing Machinery



SAIRAJ
MACHINERY



SAIRAJ
MACHINERY

Leading Manufacturer
Of Cashew Processing
Machinery

Workshop Address

Plot No - C 13/2, M.I.D.C., Gokul
Shirgaon, Kolhapur -416234

Sairaj Machinery

Plot No.7, Vijay Nagar, MIDC Gokul
Shirgaon, Kolhapur, (MH) (India)
Mob. No. +91 9890954141,
+91 9225904141,
+91 9890350520

Website: www.sairajmachinery.co.in

E-mail: sairajmachinery@gmail.com

WE ARE ON    

Konark -24

AUTOCASHEW NUT CUTTING MACHINE

KeyFeatures:-

- *SuperiorCuttingofAllTypesofRCN (RawCashewNut)
- *ProductionRate:-23-25kg/hour
- *Productivityofmachinefullcashew kernelsrate90+%
- *CompactandSuperiorDesign
- *SixMonthsWarrantywithOnsite ServiceSupport
- *EasyMaintenance
- *Re-Sharpeningof bladeispossible.
- *SparePartseasily& cheaplyavailable.

TechnicalSpecification:-

- *Height:-43½Inch
- *Width:-21½Inch
- *Length:-36Inch
- *NetWeight:-135kg
- *Motor:-0.5HP, Single/ThreePhase, ACMotor,1440R.P.M.
- *GearBoxDriveMechanism



Konark -150

KeyFeatures:-

- *SuperiorCuttingofalltypesofRCN
- *ProductionRate:-150-180Kg/hour
- *ProductivityofmachinefullcashewKernelsRate-97%
- *CompactandSuperiorDesign
- *SixMonthwarrantywithonsiteServiceSupport
- *Easyandlowmaintenance
- *Re-Sharpeningofbladeispossible.

TechnicalSpecification:-

- *Height:-5'75"ft
- *Width:-3'74"ft
- *Length:-2'83"ft
- *NetWeight:-425Kg
- *Motor:-1HP,
- *availableinsingle/ThreePhase
- *ACMotor,1440R.P.M
- *GearBoxDriveMechanism



Cashew Dryer

KeyFeatures:-

- 1.SuperiorDesign.
- 2.SixMonthwarrantywithOnsite servicesupport.
- 3.Modelsavailablein60Kg,120Kg, 160Kg,200Kg,250Kg.
- 4.EasyMaintenance.



OUR PRODUCTS

Konark-24
AUTOCASHEW NUTTING MACHINE



CashewBoiler



Konark-50
CASHEW NUT PEELING MACHINE



Konark-150 PLUS



Cashew Boiler



Leading Manufacturer
Of Cashew Processing Machinery



9890954141

WE ARE ON



SAIRAJ MACHINERY

Leading Manufacturer Of Cashew Processing Machinery

Workshop Address

Plot No - C 13/2, M.I.D.C., Gokul Shirgaon, Kolhapur -416234

Mob. No.-

Sales Department- +91 9890954141,

Service Head - +91 7720062031,

Spare- +91 9960683004,

sairaj Bussiness sairaj.machinery

Website :www.sairajmachinery.co.in


E-mail : sairajmachinery@gmail.com

Service Care No.- +91 9922590591



Key Features:-

- * Capacity - 10t, 3 ton, 5 ton, 10t
- * High Production Capacity with Minimum Manual Works & Labour
- * Fully Automatic Plant.
- * Quality Production
- * Compact & Superior Design.
- * Total Food Grade Material.
- * Low maintenance.
- * Training and Support



autoline



Leading Manufacturer
Of Cashew Processing Machinery

WE ARE ON



SAIRAJ MACHINERY

SAIRAJ MACHINERY



WE ARE ON



SAIRAJ MACHINERY

Leading Manufacturer
Of Cashew Processing
Machinery



SAIRAJ
MACHINERY

konark-540

AUTOCASHEW CUTTING MACHINE

KeyFeatures:-

- *SuperiorCuttingofalltypesofRCN
- *ProductionRate:-500to540Kg/hour
- *ProductivityofmachinefullcashewKernelsRate97+%
- *CompactandSuperiorDesign
- *SixMonthwarrantywithonsiteServiceSupport
- *Easyandlowmaintenance
- *Re-Sharpeningofbladeispossible.

Technical Specification:-

- * Height :- 4'10" ft.
- * Width :- 4'8" ft.
- * Length :- 4'2" ft.
- * Net Weight:- 650kg
- * Motor :- 1 HP



konark-540



konark-360

AUTOCASHEW CUTTING MACHINE

KeyFeatures:-

- *SuperiorCuttingofalltypesofRCN
- *ProductionRate:-300to350Kg/hour
- *ProductivityofmachinefullcashewKernelsRate97+%
- *CompactandSuperiorDesign
- *SixMonthwarrantywithonsiteServiceSupport
- *Easyandlowmaintenance
- *Re-Sharpeningofbladeispossible.

Technical Specification:-

- * Height :- 4'10" ft.
- * Width :- 3'6" ft.
- * Length :- 4'2" ft.
- * Net Weight:- 550kg
- * Motor :- 1 HP



konark-360



OUR PRODUCT RANGE



SAIRAJ MACHINERY

KONARK-24
AUTOCASHEW NUT CUTTING
MACHINE



CASHEW DRYER



KONARK-50
CASHEW NUT
PEELING MACHINE



LEADING MANUFACTURER
OF CASHEW PROCESSING
MACHINERY



LEADING MANUFACTURER
OF CASHEW PROCESSING
MACHINERY



KONARK-120



CASHEW BOILER



SAIRAJ MACHINERY

Leading Manufacturer Of Cashew
Processing Machinery

Sairaj Machinery

Plot No.7, Vijay Nagar,
MIDC Gokul, Shirgaon,
Kolhapur, (MH) (India)
Mob. No. +91 9890954141,
+91 9225904141,
+91 9890350520

Workshop Address

Plot No - C 13/2, M.I.D.C.,
Gokul Shirgaon,
Kolhapur -416234





SAIRAJMACHINERY.CO.IN

Leading Manufacturer
Of Cashew Processing
Machinery



SAIRAJ
MACHINERY

KONARK-150 PLUS

AUTOCASHEW NUT CUTTING MACHINE

Key Features:-

- * Superior Cutting of All Types of RCN (Raw Cashew Nut)
- * Production Rate:- 150-180 kg/hour
- * Productivity of machine full cashew kernels rate 97+%
- * Compact and Superior Design
- * Six Months Warranty with Onsite Service Support
- * Easy Maintenance
- * Re - Sharpening of blade is possible.

Technical Specification:-

- * Height :- 4'6" ft.
- * Width :- 2'4" ft.
- * Length :- 3'8" ft
- * Net Weight:- 290 kg
- * Motor :- 1 HP,
- * Available in Single/Three Phase,
- * AC Motor, 1440 R.P.M.
- * Gear Box Drive Mechanism



KONARK-150 PLUS

AUTOLINE

Key Features:-

- * Capacity - 1 ton, 3 ton, 5 ton, 10 ton
- * High Production Capacity with Minimum Manual Works & Labour.
- * Fully Automatic Plant.
- * Quality Production
- * Compact & Superior Design.
- * Total Food Grade Material.
- * Low maintenance.
- * Training and Support.



AUTOLINE

